




Telephone: (650) 697-3600



GOAT ANTI-IDS ANTIBODY

SKU: EB08984



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size

Storage

Aliquot and store at -20°C. Minimize freezing and thawing. Instructions

Synonym /

Alias

iduronate-2-sulfatase|SIDS|MPS2|iduronate 2-sulfatase (Hunter syndrome)|IDS

Names

Accession NP_000193.1

ID **Blocking**

EBP08984

Peptide

Immunogen

Peptide with sequence C-KHFRFRDLEEDP, from the internal region of the protein sequence according to

NP_000193.1.

Product Comments

This antibody is expected to recognize isoform a (NP_000193.1).

Peptide Sequence

C-KHFRFRDLEEDP

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.





Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

Shipping Refrigerated

Instructions

Predicted Human **Species**

Reactive **Species**

Human

Human **Gene ID** 3423

Product

 $https://prod-vector-labs-pimcore-assets.s 3. us-east-1. amazonaws.com/assets/products/image/elite_medium.png$ Grade

In paraffin embedded Human Placenta shows lysosomal staining of trophoblasts. Recommended concentration: **IHC Results**

3-5µg/ml.

ELISA

Detection

Antibody detection limit dilution 1:16000.

Limit

Western Approx. 60kDa band observed in Human Liver lysates (calculated MW of 61.9kDa according to NP_000193.1).

Blot Recommended concentration: 0.1-0.3µg/ml.

Application

Type


Pep-ELISA, WB, IHC

GALLERY IMAGES



Telephone: (650) 697-3600





100kDa 75kDa 50kDa 37kDa 25kDa 20kDa 15kDa