




Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

## **GOAT ANTI-IGFBP1 ANTIBODY**

**SKU:** EB11950





250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa



Telephone: (650) 697-3600



## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 µg

Storage

 $\begin{tabular}{ll} \textbf{Instructions} \end{tabular} \begin{tabular}{ll} \textbf{Aliquot} \ and \ store \ at -20 {\rm ^{\circ}C}. \ Minimize \ freezing \ and \ thawing. \end{tabular}$ 

IGFBP1|insulin-like growth factor binding protein 1|AFBP|IBP1|IGF-BP25|PP12|hIGFBP-1|IGF-binding protein 1|IGFBP-1|OTTHUMP00000159561|OTTHUMP00000207990|OTTHUMP00000214348|alpha-pregnancy-associated

Synonym / Alias

Names

endometrial globulin|amniotic fluid binding protein|binding protein-25|binding protein-26|binding

 $protein-28|growth\ hormone\ independent-binding\ protein|insulin-like\ growth\ factor-binding\ protein\ 1|placental$ 

protein 12

Accession

NP\_000587.1

**Blocking** 

EBP11950 **Peptide** 

Peptide with sequence RIPGSPEIRGDPNCQ, from the C Terminus of the protein sequence according to **Immunogen** 

NP 000587.1.

**Peptide** 

**RIPGSPEIRGDPNCQ Sequence** 

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

**Predicted** 

Human **Species** 

Reactive

**Species** 

Human

Human

3484 Gene ID

**Product** 

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite medium.png Grade

IHC Results Paraffin embedded Human Testis. Recommended concentration: 5µg/ml.

**ELISA** 

**Detection** Antibody detection limit dilution 1:128000.

Limit

Western Approx 30kDa band observed in Human Placenta lysates (calculated MW of 27.9kDa according to Blot NP 000587.1). Recommended concentration: 0.1-0.3µg/ml. Primary incubation was 1 hour.

Application

Pep-ELISA, WB, IHC **Type** 

## **GALLERY IMAGES**







250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

