


Telephone: (650) 697-3600

GOAT ANTI-IL-17D ANTIBODY

SKU: EB12086



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size

Storage

Aliquot and store at -20°C. Minimize freezing and thawing. Instructions

Synonym /

Alias

IL17D|interleukin 17D|IL-17D|IL-22|IL-27|IL27|interleukin 27|interleukin-17D|interleukin-27

Names

Accession

NP_612141.1

Blocking

ID

Peptide

EBP12086

Immunogen

Peptide with sequence C-EKDADSINSSIDK, from the internal region (near C Terminus) of the protein sequence according to NP_612141.1.

Peptide Sequence

C-EKDADSINSSIDK

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions





Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

Predicted

Human

Species Reactive

Species

Human

Human

Gene ID

53342

Product Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

IHC Results Paraffin embedded Human Colon. Recommended concentration: 5µg/ml.

ELISA

Detection Antibody de

Antibody detection limit dilution 1:128000.

Limit

Western
Blot

Approx 28kDa band observed in Human Adipose lysates (calculated MW of 21.9kDa according to NP_612141.1). The observed molecular weight corresponds to the glycosylated form. Recommended

concentration: 0.3-1µg/ml. Primary incubation was 1 hour.

Application

Type


Pep-ELISA, WB, IHC

GALLERY IMAGES



Telephone: (650) 697-3600





250kDa 150kDa 100kDa 75kDa 50kDa 37kDa 25kDa 20kDa 15kDa