


GOAT ANTI-IL-17D ANTIBODY

SKU: EB12086



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions

Synonym /

Alias IL17D|interleukin 17D|IL-17D|IL-22|IL-27|IL27|interleukin 27|interleukin-17D|interleukin-27

Names

Accession ID NP_612141.1

Blocking Peptide EBP12086

Immunogen Peptide with sequence C-EKDADSINSSIDK, from the internal region (near C Terminus) of the protein sequence according to NP_612141.1.

Peptide Sequence C-EKDADSINSSIDK

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Shipping Instructions Refrigerated

Predicted Species	Human
Reactive Species	Human
Human Gene ID	53342
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
IHC Results	Paraffin embedded Human Colon. Recommended concentration: 5µg/ml.
ELISA Detection Limit	Antibody detection limit dilution 1:128000.
Western Blot	Approx 28kDa band observed in Human Adipose lysates (calculated MW of 21.9kDa according to NP_612141.1). The observed molecular weight corresponds to the glycosylated form. Recommended concentration: 0.3-1µg/ml. Primary incubation was 1 hour.
Application Type	Pep-ELISA, WB, IHC

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

