



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-IMPDH2 ANTIBODY

SKU: EB08992





Telephone: (650) 697-3600

250kDa 150kDa 100kDa 75kDa

50kDa 37kDa

25kDa 20kDa

15kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing. Synonym / inosine monophosphate oxireductase 2|inosine monophosphate dehydrogenase type II|inosine monophosphate

Alias dehydrogenase 2|IMP dehydrogenase 2|IMP oxireductase 2|IMP dehydrogenase 2|IMPDH-

II|IMPD2|IMP (inosine monophosphate) dehydrogenase 2|IMPDH2 Names

Accession

ID

NP_000875.2

Blocking

EBP08992 **Peptide**

Peptide with sequence KEEEHDCFLEEI, from the internal region of the protein sequence according to **Immunogen**

NP 000875.2.

Peptide

Sequence

KEEEHDCFLEEI

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Instructions

Refrigerated

Predicted

Species

Human

Reactive

Human **Species**

Human

3615 Gene ID

Product

Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA

Detection

Antibody detection limit dilution 1:8000.

Limit

Western Approx. 60kDa band observed in Human Skeletal Muscle lysates (calculated MW of 55.8kDa according to

Blot NP_000875.2). Recommended concentration: 1-3µg/ml.

Application

Type

Pep-ELISA, WB

GALLERY IMAGES



Telephone: (650) 697-3600



250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa

20kDa

15kDa