Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-ISG15 ANTIBODY

SKU: EB09016

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing. Instructions

Synonym /

ubiquitin cross-reactive protein|interferon-stimulated protein, 15 kDa|interferon-induced 17-kDa/15-kDa **Alias** protein|interferon, alpha-inducible protein (clone IFI-15K)|UCRP|IFI15|G1P2|ISG15 ubiquitin-like modifier|ISG15 **Names**

Accession

NP 005092.1 ID

Peptide with sequence C-RNNKGRSSTYEVR, from the internal region of the protein sequence according to **Immunogen**

NP 005092.1.

Peptide

C-RNNKGRSSTYEVR Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human **Species**

Reactive

Species

Human

Human **Gene ID**

9636

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite medium.png

Grade **ELISA**

Detection

Antibody detection limit dilution 1:32000.

Limit

Western Western Blot: Approx. 25kDa band observed in Human lysates of cell line HepG2 (calculated MW of 17.9kDa

Blot according to NP_005092.1). Recommended concentration: 0.3-1µg/ml.

Application

Type

Pep-ELISA, WB