

GOAT ANTI-KAP1 ANTIBODY

SKU: EB07662

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	tripartite motif-containing 28 protein transcriptional intermediary factor 1-beta nuclear corepressor KAP-1 KRAB-associated protein 1 TIF1B TF1B RNF96 KAP1 FLJ29029 tripartite motif-containing 28 TRIM28
Accession ID	NP_005753.1
Blocking Peptide	EBP07662
Immunogen	Peptide with sequence C-KQFNKLTEDKADVQ, from the internal region of the protein sequence according to NP_005753.1.
Peptide Sequence	C-KQFNKLTEDKADVQ
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat, Dog
Reactive Species	Human
Human Gene ID	10155
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA	
Detection Limit	Antibody detection limit dilution 1:2000.
Western Blot	Approx 100kDa band observed in nuclear lysates of cell lines HeLa, Jurkat and K562 (calculated MW of 88.5kDa according to NP_005753.1). This molecular weight is routinely observed by other sources. Recommended concentration: 1-3µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa