

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-KDM2A (AA445-459) ANTIBODY

SKU: EB10899





Telephone: (650) 697-3600

250kDa 150kDa 100kDa

75kDa


50kDa

37kDa

25kDa

20kDa

15kDa





erest

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

F-box protein FBL| F-box protein FBL11| F-box and leucine-rich repeat protein 11| CXXC-type zinc finger protein 8| SF-KDM2A| LILINA| KIAA1004| FLJ46431| FLJ00115| FBXL11| FBL7| FBL11| DKFZp434M1735| CXXC8| lysine

(K)-specific demethylase 2A|KDM2A Names

Accession

Alias

ID

NP_036440.1

Blocking

EBP10899 **Peptide**

Peptide with sequence C-PRKDRQVHLTHFELE, from the internal region of the protein sequence according to **Immunogen**

NP 036440.1.

Peptide

C-PRKDRQVHLTHFELE Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human, Mouse, Rat, Dog, Pig, Cow **Species**

Reactive

Human **Species**

Human

22992 Gene ID

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png Grade

IHC Results Paraffin embedded Human Small Intestine. Recommended concentration: 5µg/ml.

ELISA

Detection Antibody detection limit dilution 1:32000.

Limit

Blot

Western Approx 140kDa band observed in Human Uterus lysates (calculated MW of 133kDa according to NP 036440.1).

Recommended concentration: 0.5-2µg/ml.

Application

Pep-ELISA, WB, IHC **Type**

GALLERY IMAGES



Telephone: (650) 697-3600



250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

