

GOAT ANTI-KDM2A (AA445-459) ANTIBODY

SKU: EB10899

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage	Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions	
Synonym /	F-box protein FBL F-box protein FBL11 F-box and leucine-rich repeat protein 11 CXXC-type zinc finger protein
Alias	8 SF-KDM2A LILINA KIAA1004 FLJ46431 FLJ00115 FBXL11 FBL7 FBL11 DKFZp434M1735 CXXC8 lysine
Names	(K)-specific demethylase 2A KDM2A
Accession ID	NP_036440.1
Blocking Peptide	EBP10899
Immunogen	Peptide with sequence C-PRKDRQVHLTHFELE, from the internal region of the protein sequence according to NP_036440.1.
Peptide Sequence	C-PRKDRQVHLTHFELE
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat, Dog, Pig, Cow
Reactive Species	Human
Human Gene ID	22992
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
IHC Results	Paraffin embedded Human Small Intestine. Recommended concentration: 5µg/ml.
ELISA	
Detection Limit	Antibody detection limit dilution 1:32000.
Western Blot	Approx 140kDa band observed in Human Uterus lysates (calculated MW of 133kDa according to NP_036440.1). Recommended concentration: 0.5-2µg/ml.
Application Type	Pep-ELISA, WB, IHC

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

Goat Anti-KDM2A (aa445-459) Antibody

<https://everestbiotech.com/products/goat-anti-kdm2a-aa445-459-antibody/>

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

