




Telephone: (650) 697-3600

GOAT ANTI-KETOHEXOKINASE ANTIBODY



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing. Instructions

Svnonvm /

Alias KHK|ketohexokinase (fructokinase)|hepatic fructokinase|ketohexokinase

Names

Accession NP 000212.1; NP 006479.1 ID

Blocking

EBP12963 **Peptide**

Peptide with sequence RCLSQRWQRGGNASN, from the internal region of the protein sequence according to **Immunogen**

NP 000212.1; NP 006479.1.

Product Comments

This antibody is expected to recognize both reported isoforms (NP_000212.1; NP_006479.1).

Peptide

RCLSQRWQRGGNASN

Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted Species

Human, Mouse, Rat, Dog, Pig, Cow

Reactive

Human, Mouse, Rat, Pig **Species**

Human

3795 Gene ID

Mouse

16548 Gene ID

Rat Gene ID 25659

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png Grade

IHC Results Paraffin embedded Human Kidney. Recommended concentration: 5µg/ml.

ELISA

Detection Antibody detection limit dilution 1:128000.

Limit

Approx 30kDa band observed in Human, Mouse, Rat and Pig Liver lysates (calculated MW of 32.7kDa according

Western to Human NP_000212.1, Mouse NP_032465.2, Rat NP_114061.1 and of 32.6kDa according to Pig Blot XP_003125348.1). Recommended concentration: 0.01-0.03µg/ml. Primary incubation was 1 hour.

Application

Pep-ELISA, WB, IHC **Type**

GALLERY IMAGES



Telephone: (650) 697-3600



