




GOAT ANTI-KIT ANTIBODY

SKU: EB08457



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym / **Alias**

proto-oncogene tyrosine-protein kinase Kit|piebald trait|mast/stem growth factor receptor|SCFR|PBT|CD117|C-

Kit|v-kit Hardy-Zuckerman 4 feline sarcoma viral oncogene homolog|KIT

Usage **Summary**

Names

Immunofluorescence: Strong expression of the protein seen in the cytoplasm of HEK293 and in the membranes of NIH3T3 cells. Recommended concentration: 10µg/ml. Flow

Cytometry: Flow cytometric analysis of MCF7 cells. Recommended concentration: 10ug/ml.

Accession

NP_000213.1; NP_001087241.1

Blocking Peptide

EBP08457









Product CommentsThis antibody is expected to recognise both reported isoforms (NP_000213.1; NP_001087241.1)

Peptide SequenceC-HHGDFNYERQAT

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping InstructionsRefrigerated

Predicted Human

Species Reactive ...

Species Human, Mouse

Human 3815

Gene ID

Product Grade https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

 $\textbf{IHC Results} \ \ \text{Paraffin embedded Human Skin. Recommended concentration: } 5 \mu g/ml.$

ELISA


Detection Antibody detection limit dilution 1:16000.


Limit


Application Pep-ELISA, IF, IHC, FC

Type

GALLERY IMAGES











Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

