

GOAT ANTI-KLF13 (AA45-58) ANTIBODY

SKU: EB11301

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym / basic transcription element binding protein 3| basic transcription element-binding protein 3| BTEB3| BTE-binding protein 3| FKLF2| Krueppel-like factor 13| Kruppel-like factor 13| novel Sp1-like zinc finger transcription

Alias factor 1| NSLP1| RANTES factor of late activated T lymphocytes-1| RANTES factor of late activated T-lymphocytes 1| RFLAT1| RFLAT-1| Sp1 like zinc finger transcription factor| transcription factor BTEB3|

Names transcription factor NSLP1|KLF13

Accession ID NP_057079.2

Blocking Peptide EBP11301

Immunogen Peptide with sequence C-TLPRVEERRDGKDS, from the internal region of the protein sequence according to NP_057079.2.

Peptide Sequence C-TLPRVEERRDGKDS

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Shipping Instructions Refrigerated

Predicted Species Human, Mouse, Pig, Cow

Reactive Species Human

Human Gene ID 51621

Mouse Gene ID 50793

Product Grade https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA Detection Limit Antibody detection limit dilution 1:64000.

Western Blot Approx 30+28kDa bands observed in Human Heart lysates (calculated MW of 31.2kDa according to NP_057079.2). Recommended concentration: 0.1-0.3µg/ml. The 28kDa is explained by partly proteolysis. Both bands were blocked by the immunizing peptide.

Application Type Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa