

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-KLF3 / BKLF ANTIBODY

SKU: EB05400





Telephone: (650) 697-3600

250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa

20kDa

15kDa



Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias MGC48279|basic kruppel like factor|Kruppel-like factor 3 (basic)|BKLF|KLF3

Names

Immunofluorescence: Strong expression of the protein seen in the nuclei of A431 and A549 Usage cells. Recommended concentration: 10µg/ml. Flow Cytometry: Flow cytometric analysis of Summary

A431 cells. Recommended concentration: 10ug/ml.

Accession

ID

NP_057615.3

Blocking

EBP05400 **Peptide**

Peptide with sequence LMFDPVPVKQEAMD-C, from the N Terminus of the protein sequence according to **Immunogen**

NP 057615.3.

Peptide

LMFDPVPVKQEAMD-C

Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using

Method the immunizing peptide.

Shipping

Instructions Refrigerated

Predicted Species

Human, Mouse, Rat, Dog, Pig, Cow

Reactive

Human Species

Human

51274 **Gene ID**

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_plus_medium.png Grade

ELISA

Detection Antibody detection limit dilution 1:32000.

Limit

Western Approx 38-40kDa band observed in Human Heart lysates (predicted MW of 38.8Da according to NP 057615.3).

Blot Recommended concentration: 1-3µg/ml. Primary incubation 1 hour at room temperature.

Application

Pep-ELISA, WB, IF, FC


Type


GALLERY IMAGES

Telephone: (650) 697-3600









25kDa

20kDa

15kDa

