

# GOAT ANTI-KLRG1 ANTIBODY

SKU: EB09346



## SPECIFICATIONS

<b>Formulation</b>	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
<b>Unit Size</b>	100 µg
<b>Storage Instructions</b>	Aliquot and store at -20°C. Minimize freezing and thawing.
<b>Synonym / Alias Names</b>	mast cell function-associated antigen (ITIM-containing) C-type lectin domain family 15, member A MGC13600 MAFA-LIKE MAFA-L MAFA-2F1 MAFA CLEC15A 2F1 killer cell lectin-like receptor subfamily G, member 1 KLRG1
<b>Accession ID</b>	NP_005801.3
<b>Blocking Peptide</b>	EBP09346
<b>Immunogen</b>	Peptide with sequence QAQNDYGPQKS-C, from the N Terminus of the protein sequence according to NP_005801.3.
<b>Peptide Sequence</b>	QAQNDYGPQKS-C
<b>Purification Method</b>	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
<b>Shipping Instructions</b>	Refrigerated
<b>Predicted Species</b>	Human
<b>Human Gene ID</b>	10219
<b>Product Grade</b>	<a href="https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/aspiring_medium.png">https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/aspiring_medium.png</a>
<b>ELISA Detection Limit</b>	Antibody detection limit dilution 1:1000.
<b>Western Blot</b>	Preliminary experiments in Human Lymph Node and Spleen lysates gave no specific signal but low background (at antibody concentration up to 1µg/ml).
<b>Application Type</b>	Pep-ELISA

## DOCUMENTS

- [Data Sheet](#)