



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-KPNA6 ANTIBODY

SKU: EB08538

Telephone: (650) 697-3600





Email: customerservice@vectorlabs.com

250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa 20kDa

15kDa

Telephone: (650) 697-3600







SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing. Instructions

Synonym /

Alias Names KPNA6|karyopherin alpha 6 (importin alpha 7)|FLJ11249|IPOA7|KPNA7|MGC17918|importin alpha 7

subunit|importin-alpha-S2|karyopherin alpha 6

Accession

ID

NP 036448.1

Blocking

EBP08538 **Peptide**

Immunogen

Peptide with sequence C-STTGESVITREMVE, from the internal of the protein sequence according to

NP 036448.1.

Peptide

Sequence

C-STTGESVITREMVE

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Instructions

Refrigerated

Predicted

Species

Human, Mouse, Rat, Dog, Pig, Cow

Reactive

Species

Human Gene ID

23633

Human

Mouse

Gene ID

16650

Product

Rat Gene ID 362607

Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

IHC Results

In paraffin embedded Human Adrenal Gland shows staining of cytoplasm and some nuclear membrane (nuclear pores). Recommended concentration, 3-6µg/ml.

ELISA

Detection Limit

Antibody detection limit dilution 1:128000.

Western **Blot**

Approx 60kDa band observed in Human Skeletal Muscle lysates (calculated MW of 60.0kDa according to NP 036448.1). Recommended concentration:0.1-0.3µg/ml. Some minor background is detected and is blocked

by the immunizing peptide. We call for caution when used for other assays than Western blot.

Application

Type

Pep-ELISA, WB, IHC







GALLERY IMAGES

250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa 20kDa

15kDa

