



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-LAT1 ANTIBODY

SKU: EB06418





Telephone: (650) 697-3600



e erest


50kDa

37kDa

25kDa

20kDa

15kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias Names

linker for activation of T-cells family member 1|36 kDa phospho-tyrosine adaptor protein|pp36|linker for

activation of T cells|LAT|LAT1

Accession

NP_055202.1; NP_001014987.1; NP_001014989.1; NP_001014988.1

Blocking

EBP06418 **Peptide**

Peptide with sequence C-GAPDYENLQELN, from the C Terminus of the protein sequence according to **Immunogen**

NP_055202.1; NP_001014987.1; NP_001014989.1; NP_001014988.1.

Product This antibody is expected to recognize isoform a (NP_055202.1), isoform b (NP_001014987.1 and

NP_001014989.1) and isoform c (NP_001014988.1). Comments

Peptide

Sequence

C-GAPDYENLQELN

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human, Mouse, Rat

Species Reactive

Human **Species**

Human

27040

Gene ID

Product

Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite medium.png

ELISA

Detection Antibody detection limit dilution 1:2000.

Limit Western

Approx 37kDa band observed in Human Peripheral Blood Mononucleocytes lysates (calculated MW of 27.9kDa according to NP_055202.1). This molecular weight is routinely observed by other sources. Recommended

concentration: 0.01-0.03µg/ml.

Application

Pep-ELISA, WB

Type

Blot

GALLERY IMAGES



Telephone: (650) 697-3600



250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa

20kDa

15kDa