

GOAT ANTI-LATEXIN, BIOTINYLATED ANTIBODY

SKU: EB07682-B

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions

Synonym /

Alias tissue carboxypeptidase inhibitor|endogenous carboxypeptidase inhibitor|MUM|TCI|ECI||latexin|LXN
Names

Accession ID NP_064554.3

Blocking Peptide EBP07682-B

Immunogen Peptide with sequence C-QYGTKVKHNSRLPKE., from the C Terminus of the protein sequence according to NP_064554.3.

Peptide Sequence C-QYGTKVKHNSRLPKE.

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Shipping Instructions Refrigerated

Predicted Species Human, Mouse, Rat, Dog

Reactive Species Human, Mouse, Rat, Dog

Human Gene ID 56925

Mouse Gene ID 17035

Rat Gene ID 59073

Product Grade https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA

Detection Limit Antibody detection limit dilution 1:128000.

Western Blot Approx 28kDa band observed in Rat Brain lysates (calculated MW of 25.6kDa according to Rat NP_113843.1). See non-biotinylated parental product's datasheet for further QC data. Recommended concentration: 0.1-0.3µg/ml.

Application Type Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa