


GOAT ANTI-LIF (AA28-39) ANTIBODY

SKU: EB11864



SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	OTTHUMP00000198698 MLPLI melanoma-derived LPL inhibitor LIF leukemia inhibitory factor (cholinergic differentiation factor) leukemia inhibitory factor human interleukin in DA cells HILDA hepatocyte-stimulating factor III differentiation-stimulating factor differentiation-inducing factor differentiation stimulating factor differentiation inhibitory activity DIA D factor cholinergic differentiation factor CDF
Accession ID	NP_002300.1
Blocking Peptide	EBP11864
Immunogen	Peptide with sequence TPVNATCAIRHP, from the internal region of the protein sequence according to NP_002300.1.
Peptide Sequence	TPVNATCAIRHP
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat
Reactive Species	Mouse, Rat
Human Gene ID	3976
Mouse Gene ID	16878
Rat Gene ID	60584
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:64000.
Western Blot	Approx 23kDa band observed in Mouse and Rat Colon lysates (calculated MW of 22.3kDa according to Mouse NP_032527.1 and 22.1kDa according to Rat NP_071532.2). Recommended concentration: 0.5-1.5µg/ml. Primary incubation 1 hour at room temperature.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

