

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600


GOAT ANTI-LIF (AA28-39) ANTIBODY

SKU: EB11864



Telephone: (650) 697-3600







Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

OTTHUMP00000198698|MLPLI|melanoma-derived LPL inhibitor|LIF|leukemia inhibitory factor (cholinergic differentiation factor)|leukemia inhibitory factor|human interleukin in DA cells|HILDA|hepatocyte-stimulating

Alias factor III|differentiation-stimulating factor|differentiation-inducing factor|differentiation stimulating **Names**

factor|differentiation inhibitory activity|DIA|D factor|cholinergic differentiation factor|CDF

Accession

NP 002300.1

Blocking

EBP11864

Peptide

Peptide with sequence TPVNATCAIRHP, from the internal region of the protein sequence according to **Immunogen**

NP 002300.1.

Peptide

Sequence

TPVNATCAIRHP

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Species

Human, Mouse, Rat

Reactive

Mouse, Rat **Species**

Human

3976 Gene ID

Mouse

16878

Gene ID

Rat Gene ID 60584 **Product**

Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

FLISA

Detection

Antibody detection limit dilution 1:64000.

Limit

Western Blot

Approx 23kDa band observed in Mouse and Rat Colon lysates (calculated MW of 22.3kDa according to Mouse NP_032527.1 and 22.1kDa according to Rat NP_071532.2). Recommended concentration: 0.5-1.5μg/ml.

Primary incubation 1 hour at room temperature.

Application

Type

Pep-ELISA, WB





Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GALLERY IMAGES

