

Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

## **GOAT ANTI-LMO7 / FBXO20 ANTIBODY**

**SKU:** EB06212



Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>


Telephone: (650) 697-3600

250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa





Telephone: (650) 697-3600

## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias Names RP11-332E3.2|zinc-finger domain-containing protein|F-box only protein 20|F-box protein Fbx20|LOMP

protein|LIM domain only 7|KIAA0858|FBX20|LOMP|FBXO20|LMO7

Accession

ID

AAD33924.1

**Blocking** 

**Peptide** 

EBP06212

Peptide with sequence ESTCVSASLPRS, from the internal region of the protein sequence according to **Immunogen** 

AAD33924.1.

**Product** 

Please note that the amino acid sequence of the immuning peptide differs one amino acid from the current NCBI accession numbers (NP\_005349.3, NP\_056667.2). This antibody is expected to recognise both reported

**Comments** isoforms (NP\_005349.3; NP\_056667.2).

**Peptide** 

Sequence

**ESTCVSASLPRS** 

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method

using the immunizing peptide.

**Shipping** 

Instructions

Refrigerated

**Predicted** 

Human, Mouse, Rat, Dog **Species** 

Reactive

**Species** 

Human

Human Gene ID

4008

**Product** 

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\_medium.png

Grade **ELISA** 

Detection

Western

Antibody detection limit dilution 1:32000.

Limit

Approx 70-75kDa band and approx 30kDa band observed in Human Lung lysates (predicted MWs of 92kDa according to AAD33924.1 - however our result agrees with Putilina et al as below). A minor band of unknown

identity was also consistently observed at approx 50kDa. Recommended for use at 0.5-2µg/ml.

**Application** 

**Type** 

**Blot** 

Pep-ELISA, WB



Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

## **GALLERY IMAGES**

