www.everestbiotech.com
Email: customerservice@vectorlabs.com
Telephone: (650) 697-3600

GOAT ANTI-LNK ANTIBODY

SKU: EB05122

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	lymphocyte adaptor protein|LNK
Usage Summary	Please note that we observe approx 75kDa and 45kDa bands, different to the predicted band of 63kDa. Li et al., (J. Immunol., May 2000; 164: 5199 - 5206) observe approx. 75kDa band. Moreover, using rabbit polyclonal antisera, Takaki et al., (J. Biol. Chem, Jun 1997; 272: 14562 - 14570) observe Lnk migrating approximately at 45kDa. We believe our antibody is recognising both these forms.
Accession ID	NP_005466
Blocking Peptide	EBP05122
Immunogen	Peptide with sequence C-SHLRAIDNQYTPL, from the C Terminus of the protein sequence according to NP_005466.
Peptide Sequence	C-SHLRAIDNQYTPL
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat
Reactive Species	Human
Human Gene ID	10019
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
Western Blot	Western blot: Approx 70-75kDa and 45kDa bands seen in Jurkat cell lysate. Recommended for use at 1-3 µg/ml.