



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-LPP ANTIBODY

SKU: EB09755



Telephone: (650) 697-3600



250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias Names Lipoma-preferred partner|LIM domain-containing preferred translocation partner in lipoma|LIM domain

containing preferred translocation partner in lipoma|LPP

Accession

NP_005569.1

Blocking

EBP09755 **Peptide**

Peptide with sequence C-RNDSDPTYGQQGHP, from the internal region of the protein sequence according to **Immunogen**

NP 005569.1.

Peptide

Sequence

C-RNDSDPTYGQQGHP

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Instructions

Refrigerated

Human

Predicted

Species

Human, Dog, Cow

Reactive

Species

Human

4026 Gene ID

Product

Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA

Detection

Antibody detection limit dilution 1:16000.

Limit

Western Blot

Approx 85kDa band observed in Human Placenta lysates and in lysates of cell line HepG2 (calculated MW of

65.7kDa according to NP_005569.1). This molecular weight is routinely observed by other sources.

Recommended concentration: 0.1-0.3µg/ml.

Application

Type

Pep-ELISA, WB

GALLERY IMAGES



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa