

## GOAT ANTI-MAD4 / MXD4 ANTIBODY

**SKU:** EB05652

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

---

## SPECIFICATIONS

<b>Formulation</b>	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
<b>Unit Size</b>	100 µg
<b>Storage</b>	Aliquot and store at -20°C. Minimize freezing and thawing.
<b>Instructions</b>	
<b>Synonym /</b>	
<b>Alias</b>	MXD4 MAD4 MAX dimerization protein 4 Mad4 homolog MST149 MSTP149 bHLHc12
<b>Names</b>	
<b>Accession ID</b>	NP_006445.1
<b>Blocking Peptide</b>	EBP05652
<b>Immunogen</b>	Peptide with sequence GPHCRLGRPALS, from the C Terminus of the protein sequence according to NP_006445.1.
<b>Peptide Sequence</b>	GPHCRLGRPALS
<b>Purification Method</b>	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
<b>Shipping Instructions</b>	Refrigerated
<b>Predicted Species</b>	Human
<b>Reactive Species</b>	Human
<b>Human Gene ID</b>	10608
<b>Product Grade</b>	<a href="https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png">https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png</a>
<b>ELISA</b>	
<b>Detection Limit</b>	Antibody detection limit dilution 1:16000.
<b>Western Blot</b>	Approx 22kDa band observed in human kidney lysates (predicted MW of 24kDa according to NP_006445). Recommended for use at 0.5-2µg/ml. Please note the appearance of this band was blocked by incubation with the immunising peptide.
<b>Application Type</b>	Pep-ELISA, WB

## DOCUMENTS

- [Data Sheet](#)

## GALLERY IMAGES

Goat Anti-MAD4 / MXD4 Antibody

<https://everestbiotech.com/products/goat-anti-mad4-mxd4-antibody/>

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa