

GOAT ANTI-MAGOH ANTIBODY

SKU: EB05504

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias MAGOHA|RP5-1024G6.4|mago-nashi homolog, proliferation-associated (Drosophila)|MAGOH

Names

Accession ID NP_002361.1

Blocking Peptide EBP05504

Immunogen Peptide with sequence C-SLIGLHFKIKPI, from the C Terminus of the protein sequence according to NP_002361.1.

Peptide Sequence C-SLIGLHFKIKPI

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Shipping Instructions Refrigerated

Predicted Species Human, Mouse, Rat, Dog, Cow

Reactive Species Human

Human Gene ID 4116

Mouse Gene ID 17149

Product Grade https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA

Detection Limit Antibody detection limit dilution 1:2000.

Western Blot Approx 17kDa band observed in nuclear lysates of cell line HeLa (calculated MW of 17.2kDa according to NP_002361.1). Recommended concentration: 1-3µg/ml. (Data obtained from a previous batch).

Application Type Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES



250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa