

GOAT ANTI-MAML1 / MASTERMIND ANTIBODY

SKU: EB06078

250kDa
150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

| | |
|------------------------------|---|
| Formulation | Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. |
| Unit Size | 100 µg |
| Storage | Aliquot and store at -20°C. Minimize freezing and thawing. |
| Instructions | |
| Synonym / | |
| Alias | mastermind-like 1 mastermind homolog KIAA0200 Mam-1 Mam1 mastermind-like 1 (Drosophila) MAML1 |
| Names | |
| Accession ID | NP_055572.1 |
| Blocking Peptide | EBP06078 |
| Immunogen | Peptide with sequence VLPTCPMAEFALPR, from the N Terminus of the protein sequence according to NP_055572.1. |
| Peptide Sequence | VLPTCPMAEFALPR |
| Purification Method | Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide. |
| Shipping Instructions | Refrigerated |
| Predicted Species | Human, Mouse |
| Reactive Species | Human |
| Human Gene ID | 9794 |
| Product Grade | https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png |
| IHC Results | In paraffin embedded Human Placenta shows nuclear staining in trophoblasts. Recommended concentration, 2.5-3.8µg/ml. |
| ELISA Detection Limit | Antibody detection limit dilution 1:128000. |
| Western Blot | Approx 110kDa band observed in Human Skeletal Muscle lysates (calculated MW of 108kDa according to NP_055572.1). Recommended concentration: 0.1-0.3µg/ml. |
| Application Type | Pep-ELISA, WB, IHC |

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

