

GOAT ANTI-MFSD6 ANTIBODY

SKU: EB11426

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage	Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions	
Synonym /	MFSD6 OTTHUMP00000205546 OTTHUMP00000163510 MMR2 major facilitator superfamily domain-containing protein 6 major facilitator superfamily domain containing 6 macrophage MHC receptor 2
Alias	
Names	macrophage MHC class I receptor 2 homolog hMMR2 FLJ20160
Accession ID	NP_060164.3; NP_001362918.1
Blocking Peptide	EBP11426
Immunogen	Peptide with sequence C-RPTTHPTNASHQ, from the internal region of the protein sequence according to NP_060164.3; NP_001362918.1.
Product Comments	The immunizing peptide is thought to represent an extracellular domain.
Peptide Sequence	C-RPTTHPTNASHQ
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human
Reactive Species	Human
Human Gene ID	54842
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:16000.
Western Blot	Approx 90kDa band observed in Human Heart lysates (calculated MW of 88.1kDa according to NP_060164.3). Recommended concentration: 1-3µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa