

## GOAT ANTI-MIA / CD-RAP ANTIBODY

**SKU:** EB11934

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

10kDa

---

## SPECIFICATIONS

**Formulation** Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 µg

**Storage** Aliquot and store at -20°C. Minimize freezing and thawing.  
**Instructions**

**Synonym /**

**Alias** melanoma-derived growth regulatory protein|CD-RAP|melanoma inhibitory activity|MIA

**Names**

**Accession ID** NP\_006524.1

**Blocking Peptide** EBP11934

**Immunogen** Peptide with sequence PKLADRKL CADQE, from the internal region of the protein sequence according to NP\_006524.1.

**Product** The immunizing peptide represents the N terminus of the mature protein. Reported variants represent identical protein: NP\_006524.1, NP\_001189482.1,

**Peptide Sequence** PKLADRKL CADQE

**Purification Method** Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

**Shipping Instructions** Refrigerated

**Predicted Species** Human

**Reactive Species** Human

**Human Gene ID** 8190

**Product Grade** [https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\\_medium.png](https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png)

**IHC Results** Paraffin embedded Human Spleen and Skeletal Muscle. Recommended concentration: 5µg/ml.

**ELISA**

**Detection Limit** Antibody detection limit dilution 1:64000.

**Western Blot**

Approx 14kDa band observed in Human Glioma lysates (calculated MW of 14.5kDa according to NP\_006524.1).

**Blot** Recommended concentration: 1-3µg/ml. Primary incubation was 1 hour.

**Application Type** Pep-ELISA, WB, IHC

## DOCUMENTS

- [Data Sheet](#)

## GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

10kDa

