


Telephone: (650) 697-3600



GOAT ANTI-MINDBOMB 1 / MIB1 ANTIBODY

SKU: EB11532



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage

Instructions

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias

ZZZ6|ZZANK2|zinc finger ZZ type with ankyrin repeat domain protein 2|ubiquitin ligase protein MIB1|ubiquitin

 $ligase\ mind\ bomb|OTTHUMP00000162549|mindbomb\ homolog\ 1\ (Drosophila)|mind\ bomb\ homolog\ 1\ (Drosophila)|mind\ bomb\ homolog\ 2\ (Drosophila)|mind\ bomb$

Names

1|MIB1|MIB|MGC129660|MGC129659|FLJ90676|E3 ubiquitin-protein ligase MIB1|DKFZp761M1710|DKFZp686I0769|DIP-1|DAPK-interacting protein 1

Usage

Purchase the +ve control! The transfected lysate used in QC is available for sale. Please email

Summary

sales@everestiotech.com to request datasheet, pricing and delivery information.

Accession

NP_065825.1

Blocking

ID

Peptide

EBP11532

Immunogen

Peptide with sequence C-DKDNTNVNADVQKLQ, from the internal region (near C Terminus) of the protein

sequence according to NP 065825.1.

Peptide

Sequence

C-DKDNTNVNADVQKLQ

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.





Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

Shipping Refrigerated

Instructions

Predicted Human, Mouse, Rat, Dog, Cow **Species**

Reactive

Human **Species**

Human **Gene ID**

57534

Mouse

225164 **Gene ID Rat Gene ID** 307594

Product Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

In paraffin embedded Human Cerebral Cortex shows staining of cytoplasm in the neuronal bodies, on one side

of the nucleus. Recommended concentration, 2-4µg/ml.

ELISA

Detection

Antibody detection limit dilution 1:16000.

Limit

Blot

In transfected HEK293 transiently expressing Human MIB1 (myc and DYKDDDDK tagged), a band of approx. Western 135kDa is observed. No bands are observed in mock-transfected HEK293 and the same band is observed using

anti-myc antibody. Recommended concentration, 0.5-1µg/ml.

Application

Pep-ELISA, WB-Trf, IHC **Type**

GALLERY IMAGES



Telephone: (650) 697-3600



