

GOAT ANTI-MLLT10 / AF10 ANTIBODY

SKU: EB09975



250kDa
150kDa
100kDa
75kDa

50kDa
37kDa

25kDa
20kDa

15kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	MLLT10 translocated to, 10 translocated to, myeloid/lymphoid or mixed-lineage leukemia (trithorax homolog, Drosophila) myeloid/lymphoid or mixed-lineage leukemia (trithorax homolog) MGC75086 DKFZp686E10210 ALL-1 fused gene from chromosome 10 AF10
Accession ID	NP_004632.1; NP_001009569.1
Blocking Peptide	EBP09975
Immunogen	Peptide with sequence C-RLEDTTARFTNAN, from the internal region of the protein sequence according to NP_004632.1; NP_001009569.1.
Product Comments	This antibody is expected to recognize both reported isoforms (NP_004632.1; NP_001009569.1).
Peptide Sequence	C-RLEDTTARFTNAN
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat, Dog, Cow
Reactive Species	Rat
Human Gene ID	8028
Mouse Gene ID	17354
Rat Gene ID	361285
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:32000.
Western Blot	Approx. 140kDa and 60kDa in Rat Testis lysates (calculated MW of 1 103kDa according to Rat NP_001012162.1. These bands correspond to earlier findings with different antibodies from other commercial sources.. (Recommended concentration: 1-3µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

