

GOAT ANTI-MOESIN ANTIBODY

SKU: EB07307

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

10kDa

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions

Synonym /

Alias moesin|MSN

Names

Accession ID NP_002435.1

Blocking Peptide EBP07307

Immunogen Peptide with sequence C-NARDESKKTAND, from the internal region of the protein sequence according to NP_002435.1.

Peptide Sequence C-NARDESKKTAND

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Shipping Instructions Refrigerated

Predicted Species Human, Mouse, Rat, Dog

Reactive Species Human, Mouse

Human Gene ID 4478

Mouse Gene ID 17698

Rat Gene ID 81521

Product Grade https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA

Detection Limit Antibody detection limit dilution 1:16000.

Western Blot Approx 70kDa band observed in Human and Mouse Spleen lysates (calculated MW of 67.8kDa according to NP_002435.1). Recommended concentration: 1-3µg/ml.

Application Type Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa
150kDa
100kDa
75kDa

50kDa
37kDa

25kDa
20kDa

15kDa
10kDa