

GOAT ANTI-MRG/MORF4L BINDING PROTEIN ANTIBODY

SKU: EB11818

250kDa
150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias Names C20orf20|chromosome 20 open reading frame 20|Eaf7|FLJ10914|MRG(MORF4-related gene)-binding protein|MRG15BP|MRG-binding protein|MRGBP|OTTHUMP00000031512|URCC4|MRG/MORF4L binding protein

Accession ID NP_060740.1

Blocking Peptide EBP11818

Immunogen Peptide with sequence CIRDKFSQNIGRQVP, from the internal region of the protein sequence according to NP_060740.1.

Peptide Sequence CIRDKFSQNIGRQVP

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

using the immunizing peptide.

Shipping Instructions Refrigerated

Predicted Species Human, Mouse, Rat, Cow

Reactive Species Human

Human Gene ID 55257

Mouse Gene ID 73247

Rat Gene ID 311713

Product Grade https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA

Detection Limit Antibody detection limit dilution 1:32000.

Western Blot Approx 21kDa band observed in Human Testis lysates (calculated MW of 22.4kDa according to NP_060740.1).

Blot Recommended concentration: 0.3-1µg/ml.

Application Type Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa
150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa