

GOAT ANTI-MS4A2 ANTIBODY

SKU: EB05201



SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	membrane-spanning 4-domains, subfamily A, member 2 IgE responsiveness (atopic) High affinity immunoglobulin epsilon receptor beta-subunit (FcERI) (IgE Fc receptor, beta-subunit) (Fc epsilon receptor I beta-chain) Fc-epsilon receptor I beta-chain Fc epsilon receptor I beta-chain MS4A1 IGHER IGER IGEL FCERI ATOPY APY Fc fragment of IgE, high affinity I, receptor for beta polypeptide immunoglobulin E receptor, high affinity, beta polypeptide Fc IgE receptor, beta chain FCER1B membrane-spanning 4-domains, subfamily A, member 2 (Fc fragment of IgE, high affinity I, receptor for beta polypeptide) MS4A2
Accession ID	NP_000130.1
Immunogen	Peptide with sequence C-ELEDPGEMSPPIDL, from the C Terminus of the protein sequence according to NP_000130.1.
Peptide Sequence	C-ELEDPGEMSPPIDL
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human
Human Gene ID	2206
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/aspiring_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:4000.
Western Blot	Western blot: No signal obtained yet but low background observed in Mouse and Human Kidney extracts and U937 cell lysates at upto 2µg/ml.