

## GOAT ANTI-MSC / ABF1 ANTIBODY

**SKU:** EB05053

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

---

## SPECIFICATIONS

<b>Formulation</b>	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
<b>Unit Size</b>	100 µg
<b>Storage</b>	Aliquot and store at -20°C. Minimize freezing and thawing.
<b>Instructions</b>	
<b>Synonym /</b>	bHLHa22 activated B-cell factor 1, homolog of mouse musculin activated B-cell
<b>Alias</b>	factor-1 musculin ABF-1 MYOR ABF1 musculin (activated B-cell factor-1) MSC
<b>Names</b>	
<b>Accession ID</b>	AAC15071.1
<b>Blocking Peptide</b>	EBP05053
<b>Immunogen</b>	Peptide with sequence C-PLKSDWNSLDGIIR, from the C Terminus of the protein sequence according to AAC15071.1.
<b>Peptide Sequence</b>	C-PLKSDWNSLDGIIR
<b>Purification Method</b>	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
<b>Shipping Instructions</b>	Refrigerated
<b>Predicted Species</b>	Human
<b>Human Gene ID</b>	9242
<b>Product Grade</b>	<a href="https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png">https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png</a>
<b>ELISA Detection Limit</b>	Antibody detection limit dilution 1:32000.
<b>Western Blot</b>	Approx 25kDa band observed in Human Bone Marrow lysates (calculated MW of 23.6kDa according to AAC15071.1). Recommended concentration: 1-3µg/ml.
<b>Application Type</b>	Pep-ELISA, WB

## DOCUMENTS

- [Data Sheet](#)

## GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa