

GOAT ANTI-MTHFD2L ANTIBODY

SKU: EB08463

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage	Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions	
Synonym /	MTHFD2L methylenetetrahydrofolate dehydrogenase (NADP dependent) 2-
Alias	like FLJ13105 MGC45532 MGC72244
Names	
Accession ID	NP_001004346.2
Blocking Peptide	EBP08463
Immunogen	Peptide with sequence KHIQKEIQRGVES-C, from the N Terminus of the protein sequence according to NP_001004346.2.
Peptide Sequence	KHIQKEIQRGVES-C
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human
Reactive Species	Human
Human Gene ID	441024
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA	
Detection Limit	Antibody detection limit dilution 1:128000.
Western Blot	Approx 28kDa band observed in Human Testis lysates (calculated MW of 31.3kDa according to NP_001004346.2). Recommended concentration: 0.1-0.3µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa