



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-MTHFS ANTIBODY

SKU: EB08495



Telephone: (650) 697-3600



250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa

20kDa

15kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias

HsT19268|FLJ30410|5, 10-methenyltetrahydrofolate synthetase (5-formyltetrahydrofolate cyclo-ligase)|MTHFS

Names

Accession

NP_006432.1

Blocking

EBP08495 **Peptide**

Peptide with sequence KRCLQHQEVKPYT, from the internal region of the protein sequence according to **Immunogen**

NP 006432.1.

Peptide Sequence

KRCLQHQEVKPYT

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human, Mouse **Species**

Reactive

Human **Species**

Human

10588 Gene ID

Product Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

IHC Results Paraffin embedded Human Lung. Recommended concentration: 5µg/ml.

ELISA

Detection Antibody detection limit dilution 1:32000.

Limit

Blot

Approx 25kDa band observed in Human Liver lysates (calculated MW of 23.3kDa according to NP 006432.1). Western

Recommended concentration: 0.5-1.5µg/ml. Primary incubation was 1 hour.

Application

Pep-ELISA, WB, IHC **Type**

GALLERY IMAGES



Telephone: (650) 697-3600



250kDa 150kDa 100kDa 75kDa

37kDa

50kDa

25kDa

20kDa

15kDa

