





Telephone: (650) 697-3600

GOAT ANTI-MUNC13-4 / UNC13D (INTERNAL) ANTIBODY

SKU: EB07336





SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

unc-13 homolog D|HPLH3|HLH3|FHL3|unc-13 homolog D (C. elegans)|Munc13-4|UNC13D

Unit Size 100 µg

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Names

Alias

Accession NP_954712.1

Blocking

EBP07336 **Peptide**

Immunogen

Peptide with sequence C-ETQKHKKDLHPLFD, from the internal region of the protein sequence according to

NP 954712.1.

Peptide

C-ETQKHKKDLHPLFD

Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method

using the immunizing peptide.

Shipping

Refrigerated

Instructions

Predicted

Human, Mouse, Rat, Dog, Pig, Cow

Species Reactive

Species

Human, Mouse

Human

201294 **Gene ID**





Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

Mouse **Gene ID**

70450

Rat Gene ID 192177

Product

 $https://prod-vector-labs-pimcore-assets.s 3. us-east-1. amazonaws. com/assets/products/image/elite_medium.png$ Grade

In paraffin embedded Human Thymus shows cytoplasm staining in select areas. Recommended concentration:

IHC Results 2.5μg/ml. In paraffin embedded Mouse Lung shows staining of the resperatory epithelium in wildtype but not in

the knock-out. Data kindly provided by Micheal Tuvim, University of Texas MD Anderson Cancer Center,

Houston, USA. Recommended concentration: 1-2µg/ml.

ELISA

Detection Antibody detection limit dilution 1:128000.

Limit

Western Approx. 105kDa band observed in Human T-lymphocyte and HeLa lysates (calculated MW of 123kDa according

to NP_954712.1). Recommended concentration: $1-3\mu g/ml$. Primary incubation was 1 hour. Blot

Application

Pep-ELISA, WB, IHC **Type**

SELECTED REFERENCES


[{"pmid": 31032638, "intro": "This antibody has been successfully used in Western blot on Human:", "title": "Retroviral UNC13D Gene Transfer Restores Cytotoxic Activity of T Cells Derived from Familial Hemophagocytic Lymphohistiocytosis Type 3 Patients In Vitro.", "author": "Dettmer V, Bloom K, Gross M, Weissert K, Aichele P, Ehl S, Cathomen T", "journal": "Hum Gene Ther. 2019 Aug;30(8):975-984."}]

GALLERY IMAGES

















38kDa -