


GOAT ANTI-MUNC18C ANTIBODY

SKU: EB12334



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias STXBP3|syntaxin binding protein 3|MUNC18-3|MUNC18C|PSP|UNC-18C|platelet Sec1 protein|protein unc-18 homolog 3|protein unc-18 homolog C|syntaxin 4 binding protein|syntaxin-binding protein 3|unc18-3

Names

Accession ID NP_009200.2

Blocking Peptide EBP12334

Immunogen Peptide with sequence SKSIRRCKEINIS, from the internal region of the protein sequence according to NP_009200.2.

Peptide Sequence SKSIRRCKEINIS

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping Instructions Refrigerated

Predicted Species Human, Mouse, Rat, Dog, Pig

Reactive Species Mouse, Rat

Human Gene ID 6814

Mouse Gene ID 20912

Rat Gene ID 114095

Product Grade https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA

Detection Limit Antibody detection limit dilution 1:128000.

Western Blot Approx 70kDa band observed in Mouse and Rat Spleen lysates (calculated MW of 68.0kDa according to Rat NP_446089.1). Recommended concentration: 0.3-1µg/ml.

Application Type Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

