

GOAT ANTI-MYD88, BIOTINYLATED ANTIBODY

SKU: EB06667-B

250kDa
150kDa
100kDa
75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

myeloid differentiation primary response gene (88)|MYD88D|myeloid differentiation primary response 88|MYD88

Names

Accession ID NP_001166038.1; NP_002459.2; NP_001166039.1

Blocking Peptide EBP06667-B

Immunogen Peptide with sequence C-IKYKAMKKEFP., from the internal region of the protein sequence according to NP_001166038.1; NP_002459.2; NP_001166039.1.

Product Comments This antibody is expected to recognize reported isoforms 1, 2 and 3 (NP_001166038.1; NP_002459.2; NP_001166039.1).

Peptide Sequence C-IKYKAMKKEFP.

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Shipping Instructions Refrigerated

Predicted Species Human

Reactive Species Human

Human Gene ID 4615

Mouse Gene ID 17874

Rat Gene ID 301059

Product Grade https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA

Detection Limit Antibody detection limit dilution 1:16000.

Western Blot Approx 33kDa band observed in Human Thymus lysates (calculated MW of 33.2kDa according to NP_002459.1). See non-biotinylated parental product's datasheet for further QC data. Recommended concentration: 0.1-0.3µg/ml.

Application Type Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa
150kDa
100kDa
75kDa

50kDa

37kDa

25kDa

20kDa

15kDa