

GOAT ANTI-NAC1 / BTBD14B ANTIBODY

SKU: EB07708

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage	Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions	
Synonym /	
Alias	transcriptional repressor NAC1 FLJ37383 BTB (POZ) domain containing 14B NAC1 BTBD14B
Names	
Accession ID	NP_443108.1
Blocking Peptide	EBP07708
Immunogen	Peptide with sequence KTEQQESDSVQC, from the internal region of the protein sequence according to NP_443108.1.
Peptide Sequence	KTEQQESDSVQC
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Dog
Reactive Species	Human
Human Gene ID	112939
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA	
Detection Limit	Antibody detection limit dilution 1:2000.
Western Blot	Approx 55kDa band observed in Human Bone Marrow lysates (calculated MW of 57.3kDa according to NP_443108.1). Recommended concentration: 0.5-1.5µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa