
Telephone: (650) 697-3600



Email: customerservice@vectorlabs.com

GOAT ANTI-NALP2 / NLRP ANTIBODY







Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing. Instructions

Svnonvm / CLR19.9|FL|20510|NACHT, leucine rich repeat and PYD containing 2|NACHT, LRR and PYD containing protein

Alias 2|NALP2|NBS1|NLR family, pyrin domain containing 2|nucleotide-binding oligomerization domain,

I|PAN1|PYPAF2|PYRIN-Containing APAF1-like|NLRP2 Names

Usage Purchase the +ve control! The transfected lysate used to QC this product is available for sale. Please email

Summary sales@everestbiotech.com to request datasheet, pricing and delivery information.

Accession

NP_060322.1 ID

Blocking

EBP09875

Peptide

Peptide with sequence C-TEKHHPWAERPSSHD, from the C Terminus of the protein sequence according to **Immunogen**

NP 060322.1.

Peptide

C-TEKHHPWAERPSSHD Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated

Instructions

Predicted Human

Species

Reactive Human **Species**

Human

55655 Gene ID

Product

Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA

Detection Antibody detection limit dilution 1:4000.

Limit

In transfected HEK293 transiently expressing full-length Human NLRP2 (myc and DYKDDDDK tagged), a band Western of approx. 150kDa was observed. No bands were observed in mock-transfected HEK293 and the same band **Blot**

was observed using anti-DYKDDDDK tag antibody. Recommended concentration, 1-2µg/ml.

Application

Pep-ELISA, WB-Trf **Type**

GALLERY IMAGES





Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

