

GOAT ANTI-NBL1 (AA21-32) ANTIBODY

SKU: EB12194

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage	Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions	
Synonym /	NBL1 neuroblastoma, suppression of tumorigenicity 1 D1S1733E DAN DAND1 NB NO3 DAN domain family
Alias	member 1 differential screening-selected gene aberrant in neuroblastoma neuroblastoma candidate region,
Names	suppression of tumorigenicity 1 neuroblastoma
Accession ID	NP_877421.2
Blocking Peptide	EBP12194
Immunogen	Peptide with sequence C-KLGKTHGHRALE, from the internal region of the protein sequence according to NP_877421.2.
Product Comments	This antibody is expected to recognize isoform 1 (NP_877421.2) only.
Peptide Sequence	C-KLGKTHGHRALE
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human
Reactive Species	Human
Human Gene ID	4681
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:128000.
Western Blot	Approx 25kDa band observed in lysates of cell line Kelly (calculated MW of 23.2kDa according to NP_877421.2). Recommended concentration: 0.1-0.3µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

Goat Anti-NBL1 (aa21-32) Antibody

<https://everestbiotech.com/products/goat-anti-nbl1-aa21-32-antibody/>

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa