

Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

## **GOAT ANTI-NDR1 / STK38 ANTIBODY**

**SKU:** EB10790



Telephone: (650) 697-3600



250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa



Telephone: (650) 697-3600

## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 μg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

**Alias** Names

serine threonine protein kinase| nuclear Dbf2-related kinase 1| nuclear Dbf2-related 1| Ndr Ser/Thr kinase-like

protein| NDR1 protein kinase| NDR1| NDR| serine/threonine kinase 38|STK38

**Accession** 

ID

NP 009202.1

**Blocking** 

EBP10790 **Peptide** 

Peptide with sequence C-KPTVATSNHPET, from the C Terminus (near) of the protein sequence according to **Immunogen** 

NP 009202.1.

**Product Comments** 

This antibody is NOT expected to cross-react with STK38L (GeneID 23012).

**Peptide** 

Sequence

**C-KPTVATSNHPET** 

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Instructions

Refrigerated

**Predicted Species** 

Human, Rat, Dog, Pig, Cow

Reactive

Human, Rat **Species** 

Human

11329 Gene ID

**Rat Gene ID** 361813

**Product** 

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\_medium.png

**Grade ELISA** 

**Detection** Antibody detection limit dilution 1:32000.

Limit

Western Approx 55kDa band observed in Human and Rat Spleen lysates (calculated MW of 54.2kDa according to

NP\_009202.1). Recommended concentration: 0.5-2µg/ml. Blot

**Application** 

Pep-ELISA, WB

**Type** 



Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

## **GALLERY IMAGES**

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa