

GOAT ANTI-NDR1 / STK38 ANTIBODY

SKU: EB10790

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage	Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions	
Synonym /	serine threonine protein kinase nuclear Dbf2-related kinase 1 nuclear Dbf2-related 1 Ndr Ser/Thr kinase-like
Alias	protein NDR1 protein kinase NDR1 NDR serine/threonine kinase 38 STK38
Names	
Accession ID	NP_009202.1
Blocking Peptide	EBP10790
Immunogen	Peptide with sequence C-KPTVATSNHPET, from the C Terminus (near) of the protein sequence according to NP_009202.1.
Product Comments	This antibody is NOT expected to cross-react with STK38L (GeneID 23012).
Peptide Sequence	C-KPTVATSNHPET
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Rat, Dog, Pig, Cow
Reactive Species	Human, Rat
Human Gene ID	11329
Rat Gene ID	361813
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:32000.
Western Blot	Approx 55kDa band observed in Human and Rat Spleen lysates (calculated MW of 54.2kDa according to NP_009202.1). Recommended concentration: 0.5-2µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa