



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-NEDD1 ANTIBODY

SKU: EB07554



Telephone: (650) 697-3600



250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

10kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias

neural precursor cell expressed, developmentally down-regulated 1|NEDD1

Names

ID

Accession

NP_690869.1; NP_001128647.1; NP_001128649.1

Blocking

EBP07554 **Peptide**

Peptide with sequence C-NQTRNSEKFEKPEN, from the internal region of the protein sequence according to **Immunogen**

NP_690869.1; NP_001128647.1; NP_001128649.1.

Peptide

C-NQTRNSEKFEKPEN Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human **Species**

Reactive

Human **Species**

Human

121441 Gene ID

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png Grade

ELISA

Detection Antibody detection limit dilution 1:32000.

Limit

Approx 75kDa band observed in lysates of cell line HeLa (calculated MW of 72.0kDa according to

Western Blot

NP_690869.1). Recommended concentration: 1-3µg/ml. An additional band was also consistently observed at 37kDa. This band was successfully blocked by incubation with the immunising peptide and likely represents

the mature form.

Application

Pep-ELISA, WB **Type**

GALLERY IMAGES







250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

10kDa