

GOAT ANTI-NEDD9 ANTIBODY

SKU: EB07918

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions

Synonym / NEDD9|neural precursor cell expressed, developmentally down-regulated 9|CAS-

Alias L|CASL|HEF1|dj49G10.2|dj761I2.1|Crk-associated substrate related|cas-like docking dj49G10.2 (Enhancer of

Names Filamentation 1 (HEF1)|dj761I2.1 (enhancer of filamentation (HEF1))|enhancer of filamentation 1

Accession ID NP_006394.1; NP_892011.2

Blocking Peptide EBP07918

Immunogen Peptide with sequence NKPQNKCDDLDR, from the internal region of the protein sequence according to NP_006394.1; NP_892011.2.

Product Comments This antibody is expected to recognise isoform 1 (NP_006394.1) only.

Peptide Sequence NKPQNKCDDLDR

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Shipping Instructions Refrigerated

Predicted Species Human, Mouse, Rat, Dog

Reactive Species Human

Human Gene ID 4739

Mouse Gene ID 18003

Rat Gene ID 291044

Product Grade https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA

Detection Limit Antibody detection limit dilution 1:8000.

Western Blot Approx 100kDa band observed in Human Kidney, Lung and Placenta lysates (calculated MW of 92.9kDa according to NP_006394.1). Recommended concentration: 0.1-0.3µg/ml.

Application Type Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa