



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-NEDD9 ANTIBODY

SKU: EB07918



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa 100kDa

75kDa


50kDa

37kDa

25kDa

20kDa

15kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym / NEDD9|neural precursor cell expressed, developmentally down-regulated 9|CAS-

Alias L|CASL|HEF1|dJ49G10.2|dJ761I2.1|Crk-associated substrate related|cas-like docking dJ49G10.2 (Enhancer of

Filamentation 1 (HEF1))|dJ761l2.1 (enhancer of filamentation (HEF1))|enhancer of filamentation 1 Names

Accession

ID

NP_006394.1; NP_892011.2

Blocking

EBP07918 **Peptide**

Peptide with sequence NKPQNKCDDLDR, from the internal region of the protein sequence according to **Immunogen**

NP_006394.1; NP_892011.2.

Product Comments

This antibody is expected to recognise isoform 1 (NP 006394.1) only.

Peptide

Sequence

NKPQNKCDDLDR

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human, Mouse, Rat, Dog

Species Reactive

Human **Species**

Human

4739

18003

Gene ID

Mouse

Gene ID

Rat Gene ID 291044

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

Grade **ELISA**

Detection

Antibody detection limit dilution 1:8000.

Limit

Western Approx 100kDa band observed in Human Kidney, Lung and Placenta lysates (calculated MW of 92.9kDa

according to NP_006394.1). Recommended concentration: 0.1-0.3µg/ml. **Blot**

Application

Type

Pep-ELISA, WB







Telephone: (650) 697-3600

GALLERY IMAGES

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa