

GOAT ANTI-NEK7 ANTIBODY

SKU: EB10519

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions

Synonym /

Alias NEK7|NIMA-related kinase 7|NIMA (never in mitosis gene a)-related kinase 7

Names

Accession ID NP_598001.1

Blocking Peptide EBP10519

Immunogen Peptide with sequence C-NTLANFRIEKK, from the internal region of the protein sequence according to NP_598001.1.

Peptide Sequence C-NTLANFRIEKK

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Shipping Instructions Refrigerated

Predicted Species Human, Mouse, Rat, Dog, Cow

Reactive Species Human

Human Gene ID 140609

Mouse Gene ID 59125

Rat Gene ID 360850

Product Grade https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

IHC Results Paraffin embedded Human Thyroid. Recommended concentration: 3.75µg/ml.

ELISA

Detection Limit Antibody detection limit dilution 1:64000.

Western Blot Approx 35kDa band observed in lysates of cell line HeLa (calculated MW of 34.6kDa according to NP_598001.1). Recommended concentration: 0.05-0.2µg/ml. Primary incubation was 1 hour.

Application Type Pep-ELISA, WB, IHC

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

