




Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

## **GOAT ANTI-NEK7 ANTIBODY**

**SKU:** EB10519







250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa



Telephone: (650) 697-3600



## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

**Alias** NEK7|NIMA-related kinase 7|NIMA (never in mitosis gene a)-related kinase 7

Names

ID

**Accession** 

NP\_598001.1

**Blocking** 

EBP10519 **Peptide** 

Peptide with sequence C-NTLANFRIEKK, from the internal region of the protein sequence according to **Immunogen** 

NP 598001.1.

**Peptide** 

C-NTLANFRIEKK Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

**Shipping** 

Refrigerated Instructions

**Predicted** 

Human, Mouse, Rat, Dog, Cow **Species** 

Reactive

Human **Species** 

Human

140609

Gene ID

Mouse 59125

**Gene ID** 

**Rat Gene ID** 360850

**Product Grade** 

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\_medium.png

IHC Results Paraffin embedded Human Thyroid. Recommended concentration: 3.75µg/ml.

**ELISA** 

**Detection** Antibody detection limit dilution 1:64000.


Limit

Western Approx 35kDa band observed in lysates of cell line HeLa (calculated MW of 34.6kDa according to **Blot** NP\_598001.1). Recommended concentration: 0.05-0.2μg/ml. Primary incubation was 1 hour.

**Application** 

Pep-ELISA, WB, IHC **Type** 







## **GALLERY IMAGES**

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

