

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-NHERF2 (ISOFORM A) ANTIBODY

SKU: EB06971



Telephone: (650) 697-3600



250kDa 150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa



Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

solute carrier family 9 (sodium/hydrogen exchanger), isoform 3 regulatory factor 2|MGC104639|solute carrier

Synonym / Alias **Names**

family 9 (sodium/hydrogen exchanger), member 3 regulator 2|solute carrier family 9 isoform 3 regulator 2|solute carrier family 9 (sodium/hydrogen exchanger), isoform 3 regulatory factor 2|sodium/hydrogen exchanger|TKA-1|SIP1|SIP-1|OCTS2|NHERF2|NHERF-2|NHE3RF2|E3KARP|HGNC:11076|solute carrier family 9

(sodium/hydrogen exchanger), isoform 3 regulator 2|SLC9A3R2

Accession

NP_001123484.1

Blocking

EBP06971 **Peptide**

Peptide with sequence C-DGSAWKQDPFQ, from the internal region of the protein sequence according to

NP_001123484.1.

Product Please note that this variant has an extra insertion of 11 residues compared to NP_004776.3. The immunizing

Comments peptide represents this insertion.

Peptide

Sequence

Immunogen

C-DGSAWKQDPFQ

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Instructions

Refrigerated

Predicted

Species

Human

Reactive

Human

Species Human

9351 **Gene ID**

Product

 $https://prod-vector-labs-pimcore-assets.s 3. us-east-1. a mazon aws.com/assets/products/image/elite_medium.png$ **Grade**

IHC Results

In paraffin embedded Human Kidney shows strong membranous staining in glomerulus-. Recommended

concentration, 1-2µg/ml.

FLISA

Detection Antibody detection limit dilution 1:32000.

Limit Western

Approx 38kDa band observed in human kidney lysates (calculated MW of 37.4kDa according to BAA33216.1).

Blot Recommended concentration: 0.3-1µg/ml.

Application

Pep-ELISA, WB, IHC **Type**





Telephone: (650) 697-3600

GALLERY IMAGES

250kDa 150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

