



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-NODAL ANTIBODY

SKU: EB08091



Telephone: (650) 697-3600



250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa







SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

||HTX5|nodal growth differentiation factor|NODAL

Alias Names

Accession

NP_060525.2

Blocking

EBP08091

Peptide

Peptide with sequence DRSQLCRKVKFQ, from the internal region of the protein sequence according to **Immunogen**

NP 060525.2.

Peptide

DRSQLCRKVKFQ Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human, Mouse, Rat **Species**

Reactive

Human, Rat **Species**

Human

4838 Gene ID

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png Grade

IHC Results Paraffin embedded Human Placenta and Brain (Cortex). Recommended concentration: 3.75µg/ml.

ELISA

Detection Antibody detection limit dilution 1:64000.

Limit

Approx 40kDa band observed in Rat Brain lysates (calculated MW of 40.5kDa according to NP 001099864.1).

Western Recommended concentration: 0.01-0.1µg/ml. Primary incubation was 1 hour. Preliminary testing was Blot

unsuccessful on Mouse Brain for this particular batch.

Application

Pep-ELISA, WB, IHC **Type**

GALLERY IMAGES



Telephone: (650) 697-3600



250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa



